

Air Filter Technology



Aluminum Frame | Terminal Type | HEPA

Technical Data

Filter Media	Glass Fibre Paper		
Frame Material	Galvanized Steel Frame		
MPPS Efficiency	≥99,95 %	≥99,995 %	≥99,9995 %
DOP Efficiency (0,3μ)	≥99,99 %	≥99,999%	≥99,9999%
Classification (EN 1822)	H13	H14	U15
Eurovent Class 4/4	EU13	EU14	EU15
Recommended Final Pressure Drop	600 Pa		
Maximum Pressure Drop	1000 Pa		
Max. Temperature	80 °C		

Product Code	Dimensions (WxHxD)	Spigot	Media Area (m ²)	Air Flow (m ³ /h)	Press. Drop (Pa)	Weight (Kg)
H14						
C-HHF/610/610/125-H14	610x610x125	250	11	600	135	18,5
C-HHF/610/905/125-H14	610x915x125	250	16,5	900	135	9,5
C-HHF/610/1220/125-H14	610x1220x125	250	22	1200	135	18
C-HHF/915/915/125-H14	915x915x125	250	24,8	1350	135	10
U15						
C-HHF/610/610/125-U15	610x610x125	250	11	600	155	18,5
C-HHF/610/905/125-U15	610x915x125	250	16,5	900	155	9,5
C-HHF/610/1220/125-U15	610x1220x125	250	22	1200	155	18
C-HHF/915/915/125-U15	915x915x125	250	24,8	1350	155	10

Fan Filter Unit | Aluminum-Stainless Frame | HEPA



Technical Data

Filter Media	Glass Fibre Paper
Frame Material	Aluminum - Stainless Frame
MPPS Efficiency	≥99,995 %
DOP Efficiency (0,3μ)	≥99,999%
Classification (EN 1822)	H14
Eurovent Class 4/4	EU14
Recommended Final Pressure Drop	600 Pa
Maximum Pressure Drop	1000 Pa
Max. Temperature	75 °C

Product Code	Dimensions (WxHxD)	Spigot	Media Area (m ²)	Air Flow (m ³ /h)	Press. Drop (Pa)
H14					
C-FFUP/610/610/380-H14	610x610x380	250	11	600	125
C-FFUP/610/915/380-H14	610x915x380	250	16,5	900	125
C-FFUP/610/1220/380-H14	610x1220x380	250	22	1200	125